



IDEAL 70

A FULLY SCULPTURED
70 mm PVC-U WINDOW
AND DOOR SYSTEM

www.aluplast.co.uk

The logo features a stylized window frame with a grid pattern, set against a curved background element.

aluplast[®]
Kunststoff-Fenstersysteme

30 years of experience

Established in 1982 in Germany, today aluplast is one of the world's leading extruders of premium quality PVC-U window and door products with 28 production plants and sales offices and more than 1,400 employees.

aluplast supplies more 1,600 fabricating customers in different countries, producing nearly ten million windows per year.

Its global scale puts aluplast at the forefront of innovation in energy efficient and sustainable PVC-U window and door systems.

Our Philosophy - four ingredients for success

A strict product policy, close cooperation with our partners, flexibility and innovation have made us what we are today: Within only a few years aluplast has grown into the most successful enterprise in the sector. aluplast has always been a family business and will remain so in the future.

Innovation

Constant development and innovation is the key to our success. Every year, aluplast proudly presents market-driven product innovations. We analyse current markets to create products that satisfy demand in order to meet our customers' expectations.

Partnership

Our customers, partners and the whole aluplast staff are the centrepiece and the driving force of our velocity. Close partnership and cooperation between the aluplast headquarters and our many different production plants and sales offices all over the world form a synergy beneficial to everyone.

Flexibility

Flexibility is our greatest strength! Short communication channels, flat hierarchies and lean structures allow us to respond rapidly and dynamically to customer demands and market requirements.

Compatibility

"Compatibility" is the magic word of our product policy. aluplast products are designed to match each other and can be combined with a wide range of auxiliary profiles.



aluplast is considered the technology trailblazer in the sector and can prevail against 500 competing applicants in the prestigious contest „Industriepreis 2011“.

aluplast reaches the finals and thus ranks among the best three in the category „Research and Development“ due to the remarkable uPVC window system energeto®.

In 2011, the company again is one of „Germany’s Best“ and the year after, the finalist of the „Entrepreneur of the Year 2012“ contest.

Finally, in 2016, the window system provider from Karlsruhe in Southern Germany received the TOP 100 award for being one of the 100 most innovative medium-sized companies in Germany.



When you choose aluplast you get the best of both worlds: the kind of knowledge and attention to detail that can only be provided by a local specialist together with the backing of a leading international brand.



IDEAL 70. The new generation PVC-U window and door system from aluplast.

EFFECTIVE SOLUTION FOR ANY BUILDING DETAIL

The system has been designed to 'tick all the boxes' for state of the art windows and doors and features advanced design and system engineering. IDEAL 70 is a fully integrated profile suite designed using the latest computer aided techniques combined with many years of experience.

The result is a window and door system which meets the requirements of today's challenging marketplace and which will continue to excel in the future.

IDEAL 70 is both attractive in appearance and effective in application. The fully sculptured profiles and matching glazing beads result in windows and doors with classic styling and tremendous appeal for consumers.

The system boasts many advanced design features, enabling simple and economic fabrication and installation.

Advanced design affords IDEAL 70 a considerable degree of future proofing, allowing the system to take in its stride current trends and potential future requirements of UK Building Regulations.

The fully integrated profile suite ensures that all IDEAL 70 product types harmonise beautifully on any elevation regardless of the style of property.

Three outer frame height options (50mm, 60mm and 75mm) and two mullion sizes (70mm and 80mm) provide for frame designs that can accommodate most wind load requirements and reveal details.



IDEAL 70 System provides for easy and cost effective fabrication of the following types:

- Outward opening Casement Windows with dedicated internally or externally glazed sashes.
- Inward opening Tilt and Turn windows
- Horn Sash
- Residential Doors – inward or outward opening
- French Window or Double Casement Windows inward or outward opening
- French or Double Doors – inward or outward opening
- Stable Doors

The IDEAL 70 system is available in a beautiful white lustre finish (RAL 9016) and also in the following elegant coloured foiled finishes as a standard stock offer:

- Rosewood foil on one side on white base
- Rosewood foil on both sides on brown base
- Golden Oak foil on one side on white base
- Golden Oak foil on both sides on caramel base
- Palisander (black) foil on one side on white base
- Cream foil on one side on white base
- Anthracite on one side on white base

A comprehensive range of 27 coloured foil finishes and combinations for you to choose from.

A comprehensive range of cills, couplings, frame extensions, bay connectors and ancillary profiles complements the IDEAL 70 main profile suite to provide effective solutions for almost any building detail.

70mm Thermally Efficient Five chamber profile

IDEAL 70 boasts five chambers (front to back) at the core of its design philosophy. Having two chambers either side of the reinforcement chamber greatly reduces thermal bridging and provides a superb thermal insulation performance.

Acoustic insulation or noise reduction is also much improved so windows manufactured from IDEAL 70 provide the householder with a greater level of all round comfort and well being. The five chamber construction and resulting thermal performance means that IDEAL 70 is well prepared for any changes to specifications or building regulations calling for enhanced thermal efficiency.


A+ WER BFRC

The use of a main profile depth of 70mm allows the easiest installation into most building details; enabling installers to fix back to the internal plaster line and still cover any remaining paint lines on the external substrate.

A profile depth of 70mm also allows for greater flexibility with regard to glazing thickness. IDEAL 70 permits glazing of 28mm or 24mm double and 36mm or 40mm triple glazed high performance units with the same consummate ease.

The profile design incorporates lugs to locate the reinforcement profiles. Orientation options are provided for steel reinforcements that allow optimum selection for economic production and facilitate insertion of reinforcement profiles prior to welding of the PVC-U sections.

The base design of IDEAL 70 outer frame sections provides compatibility with a wide range of aluplast ancillary profiles including cill sections, frame extensions, bay corner solutions and many other sections



German design & technology.

1. Matching bead and profile design

The bead shape mirrors the shape of the upstand to the glazing rebate to provide a beautiful balanced appearance with identical sightlines. The finished window looks identical viewed from inside or outside; simply stunning! While 28mm high performance double glazed sealed units have become the performance standard in the domestic sector, IDEAL 70 recognises the need for the option of 24mm glazing depth to meet a wider range of window and door specifications for other market sectors. Glazing beads for both 28mm and 24mm sealed units both offer a fully sculptured appearance that perfectly complements the sculptured profile detail. Triple glazing can easily be produced utilizing our 36 and 40 mm glazing beads.

3. Single leg glazing bead

IDEAL 70 employs a secure single leg 'knock-in' or J-bead design. The single leg bead makes for faster, easier installation and provides the cleanest glazing platform. Installers love the way the single leg bead locates and the single leg format affords both stability and security while also easily accommodating normal glazing tolerances. aluplast' secure bead system passes Secure by Design and PAS24 with ease. Choose from either black or papyrus grey gasket

Equal V notching

Internally glazed casement windows have steadily grown in popularity and today enjoy market dominance in most sectors. To achieve an internal glazing detail in both opening and fixed light sections of the window requires 'reverse butt' welding of the outer frame profiles. IDEAL 70 has been cleverly designed to utilize equal V-notching for transoms and mullions resulting in a balanced appearance with equal length feature grooves that complement the stunning appearance of the IDEAL 70 window.

2. Fully sculptured profiles

IDEAL 70's cleverly designed sculptured shape makes for simply stunning windows and doors. Beautiful both inside and out with a design focused on symmetry, IDEAL 70 windows and doors are perfect for replacing the replacements; an important development for the future of the industry. IDEAL 70 windows and doors are eminently desirable for the end user. IDEAL 70 is as easy to fabricate as it is stunning to look at. The positive stops at either extreme of the sculptured shape give defined datum points for modern window fabrication machinery and also make fabrication easier in more basic fabrication environments. IDEAL 70 combines stunning good looks with ease of fabrication.

4. Co-extruded gaskets

IDEAL 70's co-extruded gaskets eliminate the need for the time consuming application of weather seals and gaskets to frames and sashes following the welding process as part of fabrication. The time saved will provide an increase in fabrication efficiency. Using IDEAL 70 with its co-extruded gaskets will also enable the fabricator to reduce stockholding. IDEAL 70 gaskets provide outstanding weather performance and complement the profiles' elegant sightlines. Co-extruded gaskets eliminate "the shrinking back" effect typical of old gasket systems and therefore prevent any gaps in corners. IDEAL 70 windows and doors are also easier to fit and come in two options of ether black or papyrus grey gasket.





Sustainability

Economic. Social. Environmental.

Sustainability and Eco-Management

An ecologically sound production process as well as a sustainable designed work place form a crucial part of the aluplast eco guidelines, which are reflected in our environment-friendly products and processes manufactured under strict European legislation.

Emphasis on Recycling

The raw materials used for our window profiles are based on a calcium-organic chemical compound that is strictly lead-free. With this eco-friendly attitude and our involvement in VINYL 2010 Project, which promotes the use of recycled materials in our profiles. Aluplast offers window systems that can be fabricated and recycled in an ecologically managed system..

Protecting the environment actively with PVC-U windows


aluplast PVC-U window systems live up to what they promise: An outstanding product quality and a long service life contribute actively to the conservation of the natural environment.


Responsibility towards People and the Environment

aluplast assumes responsibility for people and the environment and, together with customers and partners, contributes actively to the protection of our natural environment!


Energy Window

Aluplast
Ideal 70 PVC-U Window System
A+ Rated





Please visit www.bfrc.org to check the validity of this licence.



This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.



10-Year Product Guarantee

... on our profile systems

aluplast guarantees its profiles for **10 years** against discolouration, warping and cracking. For more details please see our guarantee certificate below.

All together better

aluplast, in conjunction with its raw material suppliers, guarantees for a period of **10 years*** all its white and laminated rigid PVC-U products against:

❖ Discolouration
❖ Warping
❖ Cracking

Provided all products have been fitted and maintained to the manufacturer's recommendations




This guarantee certificate may not be reproduced without the written permission of aluplast and is not valid without that consent. This guarantee covers the cost of supply and replacement product only and not fitting costs.

Ecotech 70

eco-tech 70 delivers a step-change in the use of recycled material and content in a new generation of sustainable and energy efficient PVC-U windows and doors.

We extrude recycled and virgin material simultaneously through a single die to create a single profile. This locks recycled material away from areas of the frame visible to the end-user or which perform a structural role.

It allows us to utilise a high percentage of recycled content but to guarantee surface appearance, finish, quality and depth of gloss. The surface is perfect – no pits, no extrusion lines.

With an A+ rating for material type from the Building Research Establishment in its Green Guide, it makes the eco-tech 70 among the UK's most sustainable window and door system options.